



BioStim, LLC
PO Box 1737
Boerne, TX 78006
Phone (800) 338-8812
Fax (830) 336-4827
www.biostim.com



MCJ MICROJET™

For use in lift stations, pump stations and sewer lines to reduce or eliminate FOG builds up. *MicroJet* foam is intended for use with the *Oozi* Foamer for lift stations and pump stations; and with a jet vac truck for sewer lines. Use along with *BioPlug* CS or *BioPlug* L to provide initial cleaning/line preparation or as part of a routine maintenance program.

Application Instructions:

When used with the hand held *Oozi* Foamer unit, mix 4 oz of concentrate per 1 gallon of water. Spray foam on FOG accumulation until covered with foam.

When using with jet vac truck, mix 1 gallon concentrate per 100 gallons of water. Foam sewer lines prior to initial installation of *BioPlugs*. Use for periodic cleaning of sewer lines as needed due to excess buildup caused by inclement weather, seasonal trends or local events.

Follow manufacturer's instructions for equipment use. Use all product in foaming unit at time of service; do not store.

Storage:

Store *MicroJet* Foam at ambient temperature; do not allow to freeze.

Product Information:

Environmentally friendly
Surfactant blend from natural plant derived materials
Contains no corrosive or caustic chemicals

No free enzymes
Safe for plumbing lines and septic systems
Multiple strains of naturally occurring bacteria

Precautions:

Do not ingest
Keep out of reach of children
Avoid contact with open wounds
People with autoimmune deficiencies should avoid contact

Do not inhale
Gloves and eye protection recommended
Avoid contact with eyes, nose, or mouth
Wash hands with soap and water after handling

First Aid:

In case of contact with eyes: flush with water for 20 minutes; seek medical attention if irritation persists.

In case of contact with skin: flush with copious amounts of soap and water; remove contaminated clothing.

In case of inhalation: remove victim to fresh air if trouble breathing; if symptoms persist, seek medical attention immediately.

In case of ingestion: drink 1-2 glasses of water to dilute; do NOT induce vomiting unless directed by physician; seek medical attention immediately.

MSDS available at www.biostim.com under "Products" tab.

Rev. Jan 2012

